DIA·CBN砥石 一般研削砥石 ドレッサー砥石 オフセット フレキシブル砥石

ディスク シート研磨材 ベルト研磨材 DIA · CBN/「-超硬バー 軸付砥石 軸付ホイール 軸付ブラシ カップブラシ スティック砥石

ヤスリ バリ取りツール 研磨材







電着ダイヤモンドバー(φ6スチールシャンク)

1本単位

型番	No.	粒度(#)	形状	ダイヤ部 最大径 (D)	ダイヤ部 厚さ (T)	角度	軸径	全長	最高使用 回転数 (rpm)	セット 該当規格	¥通常単価 1~5本
DIA-BUR19	Α			6.5				60	65,000		1.090
	В			8	15					*	1,280
	С				10						1,740
	D	1		10	19						1,610
	E				32			65			2,040
	F			18	26				30,000		3,310
DIA-BUR20	Α		•	8					65,000	*	1,090
	В			10	_				· ·		1,230
	С			16					35,000		2,840
	D			20		_			30,000		3,460
DIA-BUR21	Α			6.5	15				65,000	*	1,230
	В			8	_						1,280
	C			10	19						1,610
	D			6	32						1,090
DIA-BUR22	Α			10	1.2					*	1,230
DIA-BUR23	Α			6.5	22					*	1,280
	В			7		-					1,420
	С			8	15					*	1,320
	D			10	19						1,610
DIA-BUR24	Α			- 10		-					1,610
DIA-BUR25	A			6	12	_					1,090
	В	100			15	000 / H- HU /2 \	6			\•/	1,090
	С			8		30°(先端角)			*	1,280	
	D			10	20	28°(先端角)				1,320	
DIA-BUR26	A			6	13	-		60	50,000		1,090
	В			9	18	_					1,570
	C			10	16						1,610
DIA DUDOT	D		-	12 25	90°(先端角)	4				2,210	
DIA-BUR27	Α			10 14	9	90 (尤烯月)			65,000		1,320
DIA-BUR28	A B	-		16	18	_			35,000		2,210
DIA-BUR29	A			6.5	25	10°(斜度)			65,000	*	2,530 1,280
DIA-BUR30	A			8	15	10 (新加文)				*	1,280
			1		13	<u> </u>				*	
DIA-BUR31	Α			25	5				30,000		3,940
DIA-BUR32	Α		20°+	8	5	20° (エッジ角)			65,000	*	1,090
DIA-BUR33	Α		- -5 - -	8	10						1,090
DIA-BUR34	Α		—	16.5	6	_			35,000		2,840
	В			20					30,000		3,460
	С			25	7						4,430
DIA-BUR35	Α		<u> </u>	25	4						4,430
DIA-BUR36	Α	100	-	6	33	10°(先端角)			05.000		1,320
	В				28	12°(先端角) 14°(先端角) 16°(先端角) 20°(先端角)					1.320
	C				23						1,090
	D	120			21			65,000		1.090	
	Ē				17					1.090	
	F			10	19	30°(先端角)					1,320
									,		. ,

1セット単位

型番	No.	粒度(#)	セット内容	¥通常単価 (1~5セット)
DIA-BUR37	S	100	上記※印 10種×各1本・専用ケース入り	7,410





<u>S</u>

No.


100

粒度(#)









DIA-BUR37

型番